

ALBATROS



Prices, Sizes, Models, Frame Colours, Materials, Accessories & Installation Options



Parker Masters
BRINGING BRANDS TO LIFE

in partnership with



0845 474 9575 | www.parker-masters.co.uk











Order

In order to avoid any misunderstanding and complications in the process of your order, we ask you to give the following particulars about the parasol required. We recommend you fill in the order form!

Please use the form at the back of this document.

Particulars		E.g. ALBATROS
01	Type	ALBATROS
02	Size, model, section	7 x 7 m, square, 12 panels
03	Quantity of parasols	2 pieces
04	Colour of frame	RAL 9010 pure white
05	Type of parasol covering material	MayTex-Acryl
06	Colour of covering and colour number	grey/white SA 314 044
07	Colour and number of edge binding	silver 18
08	with / without valance	with valance
09	Miscellaneous	printing (see the MAY brochure printing guidelines)
10	Installation options and art. no.	anchor foot with placement hinge, AZ120
11	Quantity of installation options	2 pieces

	Sizes Shape	Area Section	Valance	Covering	
				MayTex-Acryl Price £	MayTex-Poly Price £
	Ø 4.0 m round	11.3 m ² 8 panels	without with	3,452.00 3,552.00	3,073.00 3,376.00
	Ø 4.0 m round	12.0 m ² 12 panels	without with	4,314.00 4,613.00	3,990.00 4,384.00
	Ø 4.5 m round	14.3 m ² 8 panels	without with	3,567.00 3,812.00	3,297.00 3,624.00
	Ø 4.5 m round	15.2 m ² 12 panels	without with	4,460.00 4,766.00	4,122.00 4,531.00
	Ø 5.0 m round	17.7 m ² 8 panels	without with	3,720.00 4,041.00	3,423.00 3,696.00
	Ø 5.0 m round	18.8 m ² 12 panels	without with	4,649.00 5,051.00	4,280.00 4,620.00
	Ø 5.5 m round	21.4 m ² 8 panels	without with	3,952.00 4,286.00	3,637.00 3,921.00
	Ø 5.5 m round	22.7 m ² 12 panels	without with	4,877.00 5,292.00	4,489.00 4,842.00



ALBATROS

Delivery contents













- Stringed parasol, ready to use
- Protective sleeve with zipper, also useful for protection during inclement weather.
- Removable stainless steel crank (AISI 304, 1.4301)
- Gloves, to protect the covering from getting soiled during unpacking-process.
- Without installation option
- With instructions
- With lashing strap
- With theft and anti-twisting lock
- Supplied in a sturdy cardboard sleeve

On windy locations (upwind, sloping site and so on) additional pedestal weight may be required.

	Sizes Shape	Area Section	Valance	Covering	
				MayTex-Acryl Price £	MayTex-Poly Price £
	Ø 6.0 m round	25.4 m ² 8 panels	without with	4,137.00 4,482.00	3,806.00 4,099.00
	Ø 6.0 m round	27.0 m ² 12 panels	without with	5,106.00 5,533.00	4,698.00 5,061.00
	Ø 6.5 m round	29.8 m ² 8 panels	without with	4,882.00 5,257.00	4,514.00 4,832.00
	Ø 6.5 m round	31.7 m ² 12 panels	without with	5,881.00 6,334.00	5,437.00 5,823.00
	Ø 7.0 m round	36.8 m ² 12 panels	without with	6,657.00 7,131.00	6,178.00 6,585.00
	Ø 8.0 m round	48.0 m ² 12 panels	without with	7,917.00 8,494.00	7,285.00 7,788.00
	Ø 9.0 m round	60.8 m ² 12 panels	without with	10,131.00 10,780.00	9,334.00 9,894.00
	Ø 10.0 m ¹⁾ round	75.0 m ² 12 panels	without with	13,244.00 13,984.00	12,242.00 12,981.00












¹⁾ If concrete slabs are used for pedestal weight, the parasol will possibly not close properly because of the spokes. This means you may require a longer centre mast, e.g. 20 cm. (Available at a surcharge). Please note that all other height measurements would then have to be increased by 20 cm. (see MAY Catalogue Commercial Parasols, ALBATROS - Sizes and Data).



	Sizes Shape	Area S=ection	Valance	Covering	
				MayTex-Acryl Price £	MayTex-Poly Price £
	3.0 × 3.0 m square	9.0 m ² 8 panels	without with	2,905.00 3,104.00	2,686.00 2,950.00
	3.5 × 3.5 m square	12.3 m ² 8 panels	without with	3,308.00 3,535.00	3,059.00 3,361.00
	3.5 × 3.5 m square	12.3 m ² 12 panels	without with	4,295.00 4,591.00	3,971.00 4,364.00
	4.0 × 4.0 m square	16.0 m ² 8 panels	without with	3,454.00 3,693.00	3,192.00 3,510.00
	4.0 × 4.0 m square	16.0 m ² 12 panels	without with	4,486.00 4,796.00	4,144.00 4,559.00
	4.5 × 4.5 m square	20.3 m ² 8 panels	without with	3,842.00 4,139.00	3,494.00 3,697.00
	4.5 × 4.5 m square	20.3 m ² 12 panels	without with	4,803.00 5,174.00	4,368.00 4,623.00
	5.0 × 5.0 m square	25.0 m ² 8 panels	without with	4,284.00 4,626.00	3,873.00 4,108.00
	5.0 × 5.0 m square	25.0 m ² 12 panels	without with	5,356.00 5,782.00	4,842.00 5,133.00
	5.5 × 5.5 m square	30.3 m ² 8 panels	without with	4,963.00 5,357.00	4,602.00 4,914.00
	5.5 × 5.5 m square	30.3 m ² 12 panels	without with	6,205.00 6,696.00	5,753.00 6,143.00
	6.0 × 6.0 m square	36.0 m ² 8 panels	without with	5,645.00 6,090.00	5,334.00 5,721.00



ALBATROS

	Sizes Shape	Area Section	Valance	Covering	
				MayTex-Acryl Price £	MayTex-Poly Price £
	6.0 × 6.0 m square	36.0 m ² 12 panels	without with	7,057.00 7,613.00	6,668.00 7,150.00
	6.5 × 6.5 m square	42.3 m ² 12 panels	without with	8,280.00 8,887.00	7,826.00 8,352.00
	7.0 × 7.0 m ¹¹ square	49.0 m ² 12 panels	without with	9,604.00 10,253.00	9,076.00 9,638.00
	3.0 × 4.0 m rectangular	12.0 m ² 10 panels	without with	4,207.00 4,496.00	3,885.00 4,273.00
	3.0 × 6.0 m rectangular	18.0 m ² 10 panels	without with	4,605.00 4,925.00	4,254.00 4,678.00
	3.5 × 5.0 m rectangular	17.5 m ² 10 panels	without with	4,506.00 4,833.00	4,207.00 4,572.00
	3.5 × 5.5 m rectangular	19.3 m ² 10 panels	without with	5,082.00 5,448.00	4,742.00 5,157.00
	3.5 × 7.0 m rectangular	24.5 m ² 10 panels	without with	5,778.00 6,191.00	5,446.00 5,832.00
	3.5 × 7.5 m ¹¹ rectangular	26.3 m ² 10 panels	without with	6,178.00 6,647.00	5,836.00 6,259.00
	4.0 × 4.5 m rectangular	18.0 m ² 10 panels	without with	4,506.00 4,833.00	4,207.00 4,572.00
	4.0 × 5.0 m rectangular	20.0 m ² 10 panels	without with	4,541.00 4,884.00	4,285.00 4,599.00

¹¹ If concrete slabs are used for pedestal weight, the parasol will possibly not close properly because of the spokes. This means you may require a longer centre mast, e.g. 20 cm. [Available at a surcharge]. Please note that all other height measurements would then have to be increased by 20 cm. (see MAY Catalogue Commercial Parasols, ALBATROS - Sizes and Data).



	Sizes Shape	Area Section	Valance	Covering	
				MayTex-Acryl Price £	MayTex-Poly Price £
	4.0 × 6.0 m rectangular	24.0 m ² 10 panels	without with	5,431.00 5,876.00	5,144.00 5,534.00
	4.0 × 7.0 m rectangular	28.0 m ² 10 panels	without with	6,588.00 7,090.00	6,224.00 6,678.00
	4.0 × 8.0 m rectangular	32.0 m ² 10 panels	without with	7,546.00 8,089.00	7,115.00 7,618.00
	4.5 × 5.0 m rectangular	22.5 m ² 12 panels	without with	5,293.00 5,698.00	5,001.00 5,368.00
	4.5 × 5.5 m rectangular	24.8 m ² 12 panels	without with	5,808.00 6,284.00	5,501.00 5,919.00
	4.5 × 6.0 m rectangular	27.0 m ² 10 panels	without with	6,336.00 6,857.00	6,000.00 6,456.00
	4.5 × 7.5 m ¹⁾ rectangular	33.8 m ² 10 panels	without with	7,960.00 8,528.00	7,504.00 8,035.00
	5.0 × 5.85 m rectangular	29.3 m ² 12 panels	without with	6,532.80 7,020.48	6,190.08 6,614.40
	5.0 × 7.5 m rectangular	37.5 m ² 10 panels	without with	8,857.00 9,436.00	8,334.00 8,838.00
	5.5 × 6.0 m rectangular	33.0 m ² 12 panels	without with	7,952.00 8,501.00	7,506.00 7,984.00
	6.0 × 7.0 m rectangular	42.0 m ² 12 panels	without with	9,398.00 10,020.00	8,837.00 9,377.00








ALBATROS

	Sizes Shape	Area Section	Valance	Covering	
				MayTex-Acryl Price £	MayTex-Poly Price £
	6.0 × 8.0 m ¹⁾ rectangular	48.0 m ² 12 panels	without with	10,499.80 11,174.72	9,888.80 10,477.24
	7.0 × 8.0 m ¹⁾ rectangular	56.0 m ² 12 panels	without with	13,054.00 13,749.00	12,275.00 12,876.00

¹⁾ If concrete slabs are used for pedestal weight, the parasol will possibly not close properly because of the spokes. This means you may require a longer centre mast, e.g. 20 cm. [Available at a surcharge]. Please note that all other height measurements would then have to be increased by 20 cm. [see MAY Catalogue Commercial Parasols, ALBATROS - Sizes and Data].








Accessories

	Description	Specifications	Art. no.	Price £
	Printing individual delivery time	see the MAY brochure printing guidelines	200703	see page 56
	Seawater-resistant stainless steel frame joints	aluminium parasol framework	350139	545.00
	Protective sleeve, version zipper • for an order with a new parasol • as a substitute	with zipper and rope, without telescopic pole; specify parasol size or serial number.	AA022 AA122	0.00 330.00
	Protective sleeve, version zipper for parasols with integrated heaters • for an order with a new parasol • as a substitute	with zipper and rope, without telescopic pole; specify parasol size or serial number.	AA024 AA124	91.40 421.00
	Telescopic pole max. length 4.5 m, without ring	for retrofitting AA022, AA122, AA024 and AA124	356041	110.00
	Hexagonal fitting for cordless drill	width across flat 9 mm	200112	9.89
	Rain gutter fabric: MayTex-Poly	price per metre, incl. aluminium rods for stabilization	XA141	84.80
	Rain gutter fabric: MayTex-PVC	price per metre, incl. aluminium rods for stabilization	XA141	93.28
	Holder for • side sheet • rain gutter	price per piece, 1 piece per spoke required 1 eyelet screw 2 eyelet screws	AA14101 AA14102	24.10 25.80
	Holder for suspended rain gutter with 1 stainless steel angle, left	made from aluminium, price per piece, 1 piece per spoke required	AA150	93.40
	Holder for suspended rain gutter with 1 stainless steel angle, right	made from aluminium, price per piece, 1 piece per spoke required	AA151	93.40
	Holder for suspended rain gutter with 2 stainless steel angles	made from aluminium, price per piece, 1 piece per spoke required	AA152	130.80



ALBATROS

Accessories



	Description	Specifications	Art. no.	Price £
	Length extension of centre pole	Specify length in cm (max. 70 cm)		163.00
	Shortening of centre pole	length on request, depending on size of parasol		163.00
	Frame paint finish individual delivery time	State RAL number. RAL 7016 anthracite grey fine structure without surcharge.		764.00
	Covering made of MayTex-PVC	approx. 480 g/m ²	Surcharge on MayTex-Acryl price + 10% (x1.1)	
	Side sheet	in MayTex-Poly		see extra pricelist
	Impact protection for parasol mast Ø 100 mm	in MayTex-PVC	350269	328.00
	Winter rod for AZ upper part	length 150 cm RAL 9010	357497	147.90
	Lubricant LubriMay 13 unit price unit price for 10 or more units	100 g, for threaded spindle	350652	23.40 13.70
	CleanoMay 13	1 litre cleaning concentrate	350848	26.10
	Substitute covering			see extra pricelist

Parasol roof stabiliser:

	Upper fixation	Aluminium profile in EV1 silver-grey, white ball socket	354102	118.30
	Parasol roof stabiliser Standard length, telescoping system, aluminium EV1 silver-grey	total length retracted 165 cm, total length extended 285 cm	354104	252.00
	Assembly group Standard length	Scope of delivery: upper fixation, parasol, roof stabiliser, small parts. Cardboard box: 12 x 15 x 176 cm, weight: Approx. 5 kg	354008	351.00



Accessories

	Description	Specifications	Art. no.	Price £
	Parasol roof stabiliser for centre pole length extension	total length retracted 215 cm, total h extended 350 cm	357808	288.00
	Assembly group for centre pole length extension	Scope of delivery: upper fixation, parasol, roof stabiliser, small parts. Cardboard box: 12 × 15 × 226 cm, weight: Approx. 6 kg	357806	388.00



Accessories



Description	Specifications	Art. no.	Price £
Kit A 4LED 230 V	4 LED light bars, warm white	350962	774.30
Kit A 6LED 230 V	6 LED light bars, warm white	350989	991.70
Kit A 8LED 12 V	8 LED light bars, warm white	350964	1,290.70
Kit A 10LED 12 V	10 LED light bars, warm white	350965	1,508.10
Kit A 12LED 12 V	12 LED light bars, warm white	350966	1,725.50







Kit A 4RGB 230 V	4 LED-bars RGB-ww (colours and warmwhite)	352974	965.30
Kit A 6RGB 230 V	6 LED-bars RGB-ww (colours and warmwhite)	352975	1,182.70
Kit A 8RGB 12 V	8 LED-bars RGB-ww (colours and warmwhite)	352976	1,481.70
Kit A 10RGB 12 V	10 LED-bars RGB-ww (colours and warmwhite)	352977	1,699.10
Kit A 12RGB 12 V	12 LED-bars RGB-ww (colours and warmwhite)	352978	1,916.50



Kit A 0 4A 400 V	4 heaters for end position	351494	3,193.00
Kit A 0 4Z 400 V	4 heaters for centre pole position	351495	3,263.80



Accessories

	Description	Specifications	Art. no.	Price £
 	Kit A 4LED 4A 400 V	4 heaters for end position + 4 LED light bars, warm white	355154	3,691.70
	Kit A 6LED 4A 400 V	4 heaters for end position + 6 LED light bars, warm white	350990	3,909.10
	Kit A 8LED 4A 400 V + 12 V	4 heaters for end position + 8 LED light bars, warm white	350980	4,208.10
	Kit A 4LED 4Z 400 V	4 heaters for centre pole position + 4 LED light bars, warm white	355155	3,762.50
	Kit A 6LED 4Z 400 V	4 heaters for centre pole position + 6 LED light bars, warm white	350991	3,979.90
	Kit A 8LED 4Z 400 V + 12 V	4 heaters for centre pole position + 8 LED light bars, warm white	350981	4,278.90
 	Kit A 4RGB 4A 400 V	4 heaters for end position + 4 LED light bars, RGB-ww (colours and warmwhite)	355156	3,882.70
	Kit A 6RGB 4A 400 V	4 heaters for end position + 6 LED light bars, RGB-ww (colours and warmwhite)	352990	4,100.10
	Kit A 8RGB 4A 12 V + 400 V	4 heaters for end position + 8 LED light bars, RGB-ww (colours and warmwhite)	352993	4,399.10
	Kit A 4RGB 4Z 400 V	4 heaters for centre pole position + 4 LED light bars, RGB-ww (colours and warmwhite)	355157	3,953.50
	Kit A 6RGB 4Z 400 V	4 heaters for centre pole position + 6 LED light bars, RGB-ww (colours and warmwhite)	352991	4,170.90
	Kit A 8RGB 4Z 12 V + 400 V	4 heaters for centre pole position + 8 LED light bars, RGB-ww (colours and warmwhite)	352994	4,469.90





Accessories

	Description	Specifications	Art. no.	Price £
	W-MAY plug connector	3-pole	352422	43.60
	Cover for female plug	3-pole, suitable for Article no. 352422	350899	8.40
	W-MAY plug connector	5-pole	200581	54.90
	Cover for female plug	5-pole, suitable for Article no. 351711	351711	11.00
	H1 plug connector	3-pole	350931	28.20
	External mast mount plug	5-pole	200582	502.00
	Infrared heaters 1.400 W	RAL 9010, RAL 9006, RAL 7016	200430	388.00
		Special colours on inquiry against surcharge, individual ad time		
	Timer switch, by button at the electrical harness		202050	314.00
	Timer switch, by rocker switch at the support pole		353017	435.00
	Bluetooth remote dimmer v16-9	for LED-lighting	352888	191.00
	Bluetooth transmitter	for LED-lighting	352890	160.00
	Somfy dimmer switch Somfy Lighting Receiver Variation io 12V/45W LED RGB-ww3	for LED-lighting	355941	288.00



ALBATROS

Accessories

	Description	Specifications	Art. no.	Price £
	Loudspeakers	2 × 8 Watt, 8 Ohm	202080	400.00
	100 V transformer (audio), for ELA system		353664	43.00
	USB charging station	Not suitable for retrofitting, 3 plug charging cable	356274	524.00



Mobile installation options

	Description	Specifications Link for instructions and order forms	Art. no.	Price £
	Full frame pedestal ^{5) 6) 7)} galvanized, without slabs		AZ111	1,005.00
	Full frame pedestal adjustable for slanting surfaces ^{5) 6) 7)} incl. 8 rubber diagonal support levelling screws, without slabs		AZ112	1,181.00
	Full frame pedestal on feet ^{5) 6) 7)} for forklift transport, without slabs		AZ116	1,248.00
	Full frame pedestal with placement hinge and upper anchor tube of AZ120 ^{1) 2) 4) 5) 7)} without slabs	State height of lower part: • bottom edge of frame to top edge of flange Please fill out: may.ag/AZ210_en.pdf	AZ210	1,763.00
	Concrete slabs with cut off edge 1 set = 4 slabs	each 50 × 50 × 5 cm 120 kg/set	XZ49	89.20
	Steel plates with cut off edge 1 set = 4 slabs	each 50 × 50 × 1.2 cm 116 kg/set	XZ51	921.00
	Concrete parasol base 995 kg ^{2) 4) 6) 7)} for parasols without electrics Concrete parasol base 995 kg ^{1) 2) 4) 6) 7)} for parasols with electrics	110 × 110 cm 110 × 110 cm	AZ361 AZ371	2,842.00 3,331.00








Stationary installation options

Description	Specifications Link for instructions and order forms	Art. no.	Price £
 <p>Base plate with placement hinge^{2) 4) 7)} galvanized. 1 layer = 4 slabs</p>	single layer approx. 277 kg	AZ246	3,015.00
 <p>Base plate with placement hinge^{2) 4) 7)} galvanized. 2 layers = 8 slabs</p>	double layers approx. 526 kg	AZ247	4,026.00
 <p>Base plate with placement hinge^{2) 4) 7)} galvanized. 3 layers = 12 slabs</p>	three layers approx. 775 kg	AZ248	4,857.00
 <p>Base plate with placement hinge^{2) 4) 7)} galvanized. 4 layers = 16 slabs</p>	four layers approx. 1.024 kg	AZ249	6,087.00
 <p>Flange plate with slot hole</p> <ul style="list-style-type: none"> • for orders with AZ246... • as replacement 	suitable for AZ246, AZ247, AZ248, AZ249	- 357570	85.60 154.00
 <p>Anti-slip mat 1 set = 4 pieces. fits for AZ246, AZ247, AZ248, AZ249, AZ256, AZ257, AZ258 and AZ259</p>	73 × 73 cm	352789	76.40
 <p>Anchor foot to be embedded in concrete with placement hinge^{1) 2) 3) 4) 7)} 2-part, screw-off upper anchor tube.</p>		AZ120	624.00
 <p>Drainage unit for AZ120</p>	suitable for DMZ150, RZ118, SZ150, AZ120	357491	25.30
 <p>Dowel-anchored plate with placement hinge^{1) 2) 4) 7)} 2-part, screw-off upper anchor tube.</p>		AZ024	610.00
 <p>Dowel-anchored plate with placement hinge and upper tube of AZ120^{1) 2) 4) 7)} customized height to fit patio surface.</p> 	State height of lower part: • bottom edge of anchor plate to top edge of flange Please fill out: may.ag/AZ128_en.pdf	AZ128	1,026.00



Stationary installation options

	Description	Specifications Link for instructions and order forms	Art. no.	Price £
	Flat-roof dowel-anchored plate with upper anchor tube AZ120 ^{1) 2) 4) 7)} for connection with liquid plastic; customized height to fit patio surface	State height of lower part: • bottom edge of anchor plate to top edge of flange • bottom edge of anchor plate to top edge of lower flange Please fill out: may.ag/AZ186_en.pdf	AZ186	1,206.00
	Flat-roof dowel-anchored plate with upper anchor tube AZ120 ^{1) 2) 4) 7)} loose-and-fixed flange assembly; customized height to fit patio surface	State height of lower part: • bottom edge of anchor plate to top edge of flange • bottom edge of anchor plate to top edge of lower flange Please fill out: may.ag/AZ194_en.pdf	AZ194	1,259.00
	Anchor bolts stud bolts with nut. fits for AZ024, AZ128, AZ186 and AZ194 (2 packages needed)	in stainless steel A4. package of 4 pieces	200900	119.50
	Base plate with placement hinge ^{1) 2) 4) 7)} galvanized, 1 layer = 4 slabs	single layer Please fill out: may.ag/AZ256_en.pdf	AZ256	3,637.00
	Base plate with placement hinge ^{1) 2) 4) 7)} galvanized, 2 layers = 8 slabs	double layer Please fill out: may.ag/AZ257_en.pdf	AZ257	4,648.00
	Base plate with placement hinge ^{1) 2) 4) 7)} galvanized, 3 layers = 12 slabs	three layer Please fill out: may.ag/AZ258_en.pdf	AZ258	5,480.00
	Base plate with placement hinge ^{1) 2) 4) 7)} galvanized, 4 layers = 16 slabs	four layer Please fill out: may.ag/AZ259_en.pdf	AZ259	6,709.00
	Theft pin ⁶⁾ padlock and pin for retrofitting	stainless steel, suitable for centre pole Ø 100 mm	200826	59.30
	Padlock keyed alike	stainless steel, 40 mm wide. shackle Ø 7 mm	350063	22.20




Installation options

Footnotes

1) ⚡ Suitable for power supply in centre pole. Bore hole for power supply cable.

2)

AZ120 Upper anchor tube, extra length



Upper anchor tube with extra length

Specifications

**Surcharge
plus
installation
option
£**

+ 10 cm

107.30

+ 20 cm

149.20

+ 30 cm


192.00

+ 40 cm

235.00

3)

AZ120 Lower anchor tube, extra length



Lower anchor tube with extra length

+ 10 cm

107.30

+ 20 cm

149.20

+ 30 cm

192.00

+ 40 cm

235.00

4)



**Upper anchor tube with placement
hinge, galvanized with additional
powder coating
standard length**

State colour:

- RAL 9010
pure white
- RAL 7016
anthracite grey
fine structure

127.00

5) Cut off 7 cm on one corner of each concrete slab.

6) Drill and fasten parasol to anchor tube on site, Ø 13.5 mm.

7) Incl. theft pin.



Customer

Customer-No. <<cust>> -<<no ->>
<<name_1>>
<<street>>
<<town>>
<<county>>
<<post_code>>

delivery to end customer

dispatch notification by phone
phone no. _____
contact _____

delivery note by e-mail to
 <<email>>
 end customer

Reference

Your PO no.

Type

FILIUS with rope pull (FS) SCHATTELLO (SG) ALBATROS (AG)
 FILIUS with crank (FK) SCHATTELLO eccentric (SE)

Segments

number of spokes

4 5 6 8 10 12

Quantity / Size / Shape

_____ piece(s) _____ meter round square rectangular triangular

Frame colour

RAL 9010 pure white standard RAL 7016 anthracite grey FS special colour w/o surcharge RAL 9006 white aluminium surcharge for ALBATROS RAL 8019 grey brown surcharge for ALBATROS _____ special colour surcharge

Spoke reinforcement

no all spokes diagonal spokes

Centre pole extension
note ground clearance

no extension yes, by +20 cm yes, _____ cm

Fabric

MayTex-Acryl MayTex-Poly MayTex-PVC special _____

Fabric colour

no. _____ colour _____

Edge binding

matching fabric colour colour and no. _____

Valance

without straight spoke to spoke continuous diagonal spoke to diagonal spoke special sketch required

Screen printing

see catalogue „Printing Guidelines“

without with see „Order form printing“

Electrical equipment

kit _____ power supply _____
 motor not possible in combination with heaters remote control no. _____

Protective sleeve

<p>FILIUS zipper + aluminium rod FA130 (incl.)</p>	<p>SCHATTELLO <input type="checkbox"/> version husse SA130 (incl.) <input type="checkbox"/> version zipper SA022 <input type="checkbox"/> version zipper SA024 (parasol with heaters) <input type="checkbox"/> telescopic pole without ring (for multiple parasols) <input type="checkbox"/> telescopic pole with ring (one per parasol necessary)</p>	<p>ALBATROS <input type="checkbox"/> version zipper AA022 (incl.) <input type="checkbox"/> version zipper AA024 (parasol with heaters) <input type="checkbox"/> telescopic pole without ring (for multiple parasols) <input type="checkbox"/> telescopic pole with ring (one per parasol necessary)</p>
--	--	---

Installation option

_____ piece(s) article no. _____ description _____ pre-delivery

Anti-theft pin

_____ piece(s) (inclusive with ALBATROS)

Accessories

e.g. rain gutter in MayTex-Poly or MayTex-PVC (specify colour and colour no., sketch incl. distances), side sheet in MayTex-Poly (specify colour, colour no. and type), impact protection in MayTex-PVC (specify colour and colour no.)

Parker Masters

BRINGING BRANDS TO LIFE

in partnership with



0845 474 9575 | www.parker-masters.co.uk