

Prices, Sizes, Models, Frame Colours, Materials, Accessories & Installation Options



Parker Masters

in partnership with





#### Order

In order to avoid any misunderstanding and complications in the process of your order, we ask you to give the following particulars about the parasol required. We recommend you fill in the order form! Please use the order form at the back of this document.

	Particulars	E.g. SCHATTELLO
01	Туре	SCHATTELLO
02	Size, shape, section	Ø 6 m, round, 8 panels
03	Quantity of parasols	2 pieces
04	Colour of frame	RAL 9010 pure white
05	Type of parasol covering material	MayTex-Acryl
06	Colour of covering and colour number	bordeaux SA 314 763
07	Colour and number of edge binding	bordeaux 86
80	with / without valance	with valance
09	Miscellaneous	_
10	Installation options and art. no.	anchor tube SZ150
11	Quantity of installation options	2 pieces

	Sizes	Area	Valance	Covering	
	Shape	Section		MayTex-Acryl <b>Price</b> £	MayTex-Poly Price £
211 cm	Ø 3.0 m	6.4 m²	without	1,942.00	1,665.00
	round	8 panels	with	2,196.00	1,831.00
323 cm	Ø 3.5 m	8.7 m²	without	1,953.00	1,676.00
	round	8 panels	with	2,204.00	1,843.00
310 cm 55	Ø 4.0 m	11.3 m²	without	1,964.00	1,686.00
	round	8 panels	with	2,213.00	1,852.00
450 cm	Ø 4.5 m	14.3 m²	without	2,457.00	2,099.00
	round	8 panels	with	2,774.00	2,315.00
162 cm	Ø 5.0 m	17.7 m²	without	2,947.00	2,513.00
	round	8 panels	with	3,334.00	2,775.00

#### **Delivery contents**

- Stringed parasol, ready to use
- Protective sleeve, also useful for protection during inclement weather.
- Removable stainless steel crank (AISI 304, 1.4301)
- Gloves, to protect the covering from getting soiled during unpacking-process.
- Without installation option
- With instructions
- With lashing strap
- Supplied in a sturdy cardboard sleeve

On windy locations (upwind, sloping site and so on) additional pedestal weight may be required.

	Sizes	Area	Valance	Cove	ring
	Shape	Section		MayTex-Acryl <b>Price</b> £	MayTex-Poly <b>Price</b> £
508 cm 20 g	Ø 5.5 m	21.4 m²	without	3,495.00	2,968.00
	round	8 panels	with	3,909.00	3,249.00
554 cm 280 cm 6000 cm	Ø 6.0 m	25.5 m²	without	4,043.00	3,421.00
	round	8 panels	with	4,486.00	3,722.00
580 cm 580 cm 555 600 cm	Ø 6.0 m round	27.0 m² 12 panels	without with	4,425.00 4,885.00	3,781.00 4,089.00
150 cm 50 00 300 cm	3.0 × 3.0 m square	9.0 m² 8 panels	without with	2,197.00 2,483.00	1,872.00 2,068.00
175 cm	3.5 × 3.5 m	12.3 m²	without	2,742.00	2,371.00
500 cm	square	8 panels	with	3,063.00	2,594.00
400 cm 700 cm 700 cm	4.0 × 4.0 m	16.0 m²	without	2,806.00	2,439.00
	square	8 panels	with	3,129.00	2,660.00
255 cm m 2652	4.5 × 4.5 m	20.3 m²	without	3,092.00	2,642.00
255 cm m 2652	square	8 panels	with	3,471.00	2,905.00



	Sizes	Area	Valance	Cove	ring	
	Shape	Section		MayTex-Acryl <b>Price</b> £	MayTex-Poly Price £	
250 cm	5.0 × 5.0 m	25.0 m²	without	3,375.00	2,846.00	
250 cm	square	8 panels	with	3,812.00	3,146.00	
300 cm	2.0 × 3.0 m	6.0 m²	without	2,013.00	1,687.00	
300 cm	rectangular	6 panels	with	2,263.00	1,856.00	
200 cm 000 400 cm	2.0 × 4.0 m rectangular	8.0 m² 6 panels	without with	2,083.00 2,331.00	1,764.00 1,924.00	
250 cm m 2005 C J 200 cm C J 200	2.5 × 3.0 m	7.5 m²	without	2,025.00	1,698.00	
	rectangular	8 panels	with	2,274.00	1,868.00	
175 cm 8 52 22 350 cm	2.5 × 3.5 m	8.8 m²	without	2,157.00	1,837.00	
	rectangular	8 panels	with	2,404.00	2,007.00	
250 cm 25	2.5 × 4.0 m	10.0 m²	without	2,242.00	1,909.00	
	rectangular	8 panels	with	2,499.00	2,090.00	
250 cm 05 500 cm	2.5 × 5.0 m rectangular	12.5 m² 6 panels	without with	2,570.00 2,865.00	2,188.00 2,394.00	
175 cm 5 0g 1 0g 1 350 cm	3.0 × 3.5 m	10.5 m²	without	2,276.00	1,939.00	
	rectangular	8 panels	with	2,540.00	2,122.00	
200 cm 8 000 cm 8 000 cm	3.0 × 4.0 m	12.0 m²	without	2,381.00	2,026.00	
	rectangular	8 panels	with	2,655.00	2,215.00	



	Sizes	Area Section	Valance	Cove	ring
	Shape	Section		MayTex-Acryl <b>Price</b> £	MayTex-Poly Price £
225 cm	3.0 × 4.5 m	13.5 m²	without	2,492.00	2,146.00
	rectangular	8 panels	with	2,779.00	2,342.00
250 cm	3.0 × 5.0 m	15.0 m²	without	2,603.00	2,261.00
	rectangular	8 panels	with	2,907.00	2,464.00
300 cm E 051	3.0 × 6.0 m	18.0 m²	without	2,930.00	2,530.00
	rectangular	8 panels	with	3,273.00	2,736.00
300 cm E 32/2	3.5 × 4.0 m	14.0 m²	without	2,570.00	2,188.00
	rectangular	8 panels	with	2,865.00	2,394.00
225 cm 52	3.5 × 4.5 m	15.8 m²	without	2,743.00	2,336.00
450 cm	rectangular	8 panels	with	3,060.00	2,556.00
250 cm 250 cm 500 cm	3.5 × 5.0 m rectangular	17.5 m² 8 panels	without with	3,049.00 3,401.00	2,597.00 2,840.00
2225 cm	4.0 × 4.5 m	18.0 m²	without	3,093.00	2,638.00
	rectangular	8 panels	with	3,458.00	2,888.00
250 cm	4.0 × 5.0 m	20.0 m²	without	3,161.00	2,700.00
	rectangular	8 panels	with	3,544.00	2,956.00
400 cm 3000 cm 3000 cm	4.0 × 6.0 m	24.0 m²	without	3,375.00	2,846.00
	rectangular	8 panels	with	3,812.00	3,146.00



	Sizes	Area	Valance	Cove	ering
	Shape	Section		MayTex-Acryl <b>Price</b> £	MayTex-Poly Price £
250 cm 250 cm 252 cm	4.5 × 5.0 m rectangular	22.5 m² 8 panels	without with	3,267.00 3,678.00	2,774.00 3,051.00
275 cm 27	4.5 × 5.5 m	24.8 m²	without	3,480.00	2,935.00
	rectangular	8 panels	with	3,930.00	3,245.00
150 cm 50 cm 50 cm 50 cm	3.0 × 3.0 m eccentric	9.0 m² 8 panels	without with	2,439.00 2,725.00	2,112.00 2,309.00
175 cm 220 cm 350 cm	3.5 × 3.5 m	12.3 m²	without	3,049.00	2,642.00
	eccentric	8 panels	with	3,407.00	2,888.00
150 cm	1.5 × 3.0 m	4.5 m²	without	1,510.00	1,266.00
8 300 cm	eccentric	5 panels	with	1,698.00	1,392.00
200 cm	2.0 × 4.0 m	8.0 m²	without	2,326.00	2,003.00
	eccentric	5 panels	with	2,572.00	2,165.00
175 cm 250 cm 350 cm	2.5 × 3.5 m	8.75 m²	without	2,436.00	2,103.00
	eccentric	7 panels	with	2,692.00	2,271.00
200 cm	3.0 × 4.0 m	12.0 m²	without	2,751.00	2,397.00
	eccentric	8 panels	with	3,024.00	2,588.00



	Description	Specifications	Art. no.	Price
				£
	Covering bonnet			131.70
	<b>Printing</b> individual delivery time	see the brochure printing guidelines	200703	see page 56
	Seawater-resistant stainless steel frame joints	aluminium parasol framework	350118	227.00
	Protective sleeve, version bag • for an order with a new parasol • as a substitute	without zipper, specify parasol size or serial number	 SA130	0.00 132.20
	Protective sleeve, version zipper  • for an order with a new parasol • as a substitute	with zipper and rope, without telescopic pole; specify parasol size or serial number.	SA022 SA122	129.50 262.00
	Protective sleeve, version zipper for parasols with integrated heaters  • for an order with a new parasol • as a substitute	with zipper and rope, without telescopic pole; specify parasol size or serial number.	SA024 SA124	202.00 334.00
	<b>Telescopic pole</b> max. length 4.5 m, without ring	for retrofitting SA022, SA122, SA024 and SA124	356040	82.80
	Rain gutter fabric: MayTex-Poly	price per metre, incl. aluminium rods for stabilization	XA141	84.80
	Rain gutter fabric: MayTex-PVC	price per metre, incl. aluminium rods for stabilization	XA141	93.28
or lo lo	<ul><li>Holder for</li><li>side sheet</li><li>rain gutter</li></ul>	price per piece, 1 piece per spoke required 1 eyelet screw 2 eyelet screws	SA14101 SA14102	24.10 25.80
	Holder for suspended rain gutter with 1 stainless steel angle, left	made from aluminium, price per piece, 1 piece per spoke required	SA150	92.40
	Holder for suspended rain gutter with 1 stainless steel angle, right	made from aluminium, price per piece, 1 piece per spoke required	SA151	92.40
	Holder for suspended rain gutter with 2 stainless steel angles	made from aluminium, price per piece, 1 piece per spoke required	SA152	128.20



	Description	Specifications	Art. no.	Price
				£
	Length extension of centre pole	Specify length in cm (max. 50 cm)		141.00
	Shortening of centre pole	length on request, depending on size of parasol		141.00
Try to	Frame paint finish individual lead time	State RAL number. RAL 8019 grey brown and RAL 7016 anthracite grey fine structure without surcharge.		627.00
	Covering made of MayTex-PVC	approx. 480 g/m <sup>2</sup>	MayTex-	narge on -Acryl price % (×1.1)
	Side sheet	in MayTex-Poly		See extra pricelist
	Mountable high table	Colour white Colour grey	357453 357454	476.00
	Special model: Playschool parasol Ø 5 m with valance	frame finish RAL 9010 pure white	SG5000 K001	2,729.00
	Special model: Playschool parasol Ø 5 m with valance	frame finish RAL 9006 white aluminium	SG5000 K002	2,729.00
	Impact protection for parasol mast Ø 76 mm	in MayTex-PVC	350268	314.00
	Winter rod for SZ upper part	length 150 cm RAL 9006	357496	113.30
Takengy y	Lubricant LubriMay 13 unit price unit price for 10 or more units	100 g, for threaded spindle	350652	23.40 13.70
Particular Section 19 (19 (19 (19 (19 (19 (19 (19 (19 (19	CleanoMay 13	1 litre cleaning concentrate	350848	26.10
	Substitute covering			See extra pricelist



	Description	Specifications	Art. no.	Price £
	Parasol roof stabiliser:			
	Upper fixation	Aluminium profile in EV1 silver-grey, white ball socket	354100	106.50
	Parasol roof stabiliser Standard length	total length retracted 165 cm, total length extended 285 cm	354104	252.00
	Assembly group Standard length	Scope of delivery: upper fixation, parasol, roof stabiliser, small parts. Cardboard box: 12 × 15 × 176 cm, weight: Approx. 5 kg	354014	344.00
<b>[8</b> ]	Parasol roof stabiliser for centre pole length extension	total length retracted 215 cm, total length extended 350 cm	357808	288.00
1	Assembly group for centre pole length extension	Scope of delivery: upper fixation, parasol, roof stabiliser, small parts. Cardboard box: 12 × 15 × 226 cm, weight: Approx. 6 kg	357807	382.00



	Description	Specifications	Art. no.	Price £
	<b>Kit S 2LED</b> 230 V	2 LED light bars, warm white	350943	556.90
	Kit S 4LED 230 V	4 LED light bars, warm white	350944	774.30
	Kit S 6LED 230 V	6 LED light bars, warm white	350988	991.70
	<b>Kit S 2RGB</b> 230 V	2 LED-bars RGB-ww (colours and warmwhite)	352960	747.90
	Kit S 4RGB 230 V	4 LED-bars RGB-ww (colours and warmwhite)	352961	965.30
	Kit S 6RGB 230 V	6 LED-bars RGB-ww (colours and warmwhite)	352962	1,182.70
	Kit S 0 2A 400 V	2 heaters for end position	351490	1,972.60
	<b>Kit S 0 4A</b> 400 V	4 heaters for end position	351491	3,106.20
()')	<b>Kit S 0 2Z</b> 400 V	2 heaters for centre pole position	351492	2,027.40
	<b>Kit S 0 4Z</b> 400 V	4 heaters for centre pole position	351493	3,215.80



	Description	Specifications	Art. no.	Price
				£
	<b>Kit S 4LED 2A</b> 400 V	2 heaters for end position + 4 LED light bars, warm white	350953	2,471.30
	<b>Kit S 4LED 4A</b> 400 V	4 heaters for end position + 4 LED light bars, warm white	350954	3,604.90
<b>)')</b>	<b>Kit S 4LED 2Z</b> 400 V	2 heaters for centre pole position + 4 LED light bars, warm white	350955	2,526.10
	Kit S 4LED 4Z 400 V	4 heaters for centre pole position + 4 LED light bars, warm white	350956	3,714.50
	<b>Kit S 4RGB 2A</b> 400 V	2 heaters for end position + 4 LED-bars RGB-ww (colours and warmwhite)	352970	2,662.30
	<b>Kit S 4RGB 4A</b> 400 V	4 heaters for end position + 4 LED-bars RGB-ww (colours and warmwhite)	352971	3,795.90
<b>)')</b>	Kit S 4RGB 2Z 400 V	2 heaters for centre pole position + 4 LED-bars RGB-ww (colours and warmwhite)	352972	2,717.10
	Kit S 4RGB 4Z 400 V	4 heaters for centre pole position + 4 LED-bars RGB-ww (colours and warmwhite)	352973	3,905.50



CANAL OF	W-MAY plug connector	3-pole	352422	43.60
	Cover for female plug	3-pole, suitable for Article no. 352422	350899	8.40
	W-MAY plug connector	5-pole	200581	54.90
e g	Cover for female plug	5-pole, suitable for Article no. 351711	351711	11.00
17	H1 plug connector	3-pole	350931	28.20



	Description	Specifications	Art. no.	Price
				£
	External mast mount plug	5-pole	200582	502.00
TICY T	Bumper for parasol pole. For parasols with infrared heaters.		355971	3.96
1	Infrared heaters 1.400 W	RAL 9010, RAL 9006, RAL 7016	200408	388.00
		Special colours on inquiry a individual lead time	gainst surc	harge,
9	Time switch, by button at the electrical harness		202050	314.00
	Time switch, by rocker switch at the support pole		353017	435.00
	Bluetooth dimmer switch v16-9	for LED-lighting	352888	191.00
	Bluetooth transmitter	for LED-lighting	352890	160.00
13.0	Somfy dimmer switch Somfy Lighting Receiver Variation io 12V/45W LED RGB-ww	for LED-lighting	355941	288.00
	Loudspeakers	2 × 8 Watt, 8 Ohm	202080	400.00
	100 V transformer (Audio), for ELA system		353664	43.00
	USB charging station	Not suitable for retrofitting, 3 plug charging cable	355714	377.00
4	Hanging bracket for Infrared heaters	Colour white Colour titanium Colour anthracite	353003 358159 358160	49.30



### Mobile installation options

	Description	Specifications	Art. no.	Price
				£
	Full frame pedestal for 1 set of standard	concrete slabs		
	Full frame pedestal <sup>4)</sup> without slabs		SZ411	461.00
	Full frame pedestal adjustable for slanting surfaces <sup>4)</sup> with rubber diagonal support levelling screws, without slabs		SZ412	534.00
1	Full frame pedestal on wheels <sup>4</sup> without slabs. Attention, wind sensitive!	wheel diameter 5 cm	SZ414	599.00
	Heavy-duty wheels for uneven surfaces, suitable for SZ414 and SZ205  • for orders with full frame pedestal • for retrofitting	wheel diameter 15 cm loading capacity 110 kg / wheel	351498 351499	253.00 335.00
MA	Full frame pedestal on feet <sup>4)</sup> for forklift transport, without slabs		SZ420	566.00
-	Frame pedestal cover plate fits for SZ411, SZ412, SZ414 and SZ420, for retrofitting	stainless steel (1.4301)	200906	608.00
	Full frame pedestal for 2 sets of standard	d concrete slabs		
B	Full frame pedestal without slabs		SZ201	479.00
B	Full frame pedestal adjustable for slanting surfaces with levelling screws, without slabs		SZ203	549.00
	Full frame pedestal on wheels without slabs. Attention, wind sensitive!	wheel diameter 5 cm	SZ205	615.00
	Gabion basket	50 × 50 cm	357885	198.00
	Seat plate	50 × 50 cm	357890	128.30



### Mobile installation options

	Description	Specifications	Art. no.	Price
				£
	Full frame pedestal for 1 set of standard	concrete slabs		
Height	Full frame pedestal with upper anchor tube of SZ118 <sup>2] 4]</sup> customized height to fit patio surface, without slabs.	State height of lower part:  • bottom edge of frame to top edge of flange  Please fill out: may.ag/SZ208_en.pdf	SZ208	704.00
Height	Full frame pedestal with placement hinge and upper anchor tube of SZ150 <sup>11 2) 51 61</sup> customized height to fit patio surface, without slabs.	State height of lower part:  • bottom edge of frame to top edge of flange  Please fill out: may.ag/SZ210_en.pdf	SZ210	852.00
	Concrete slabs  1 set = 4 concrete slabs	50 × 50 × 5 cm	XZ50	70.90
	Steel plates with cut off edge 1 set = 4 slabs	each 50 × 50 × 1.2 cm 116 kg/set	XZ51	921.00
	Base plate with upper anchor tube SZ118 <sup>2 4 </sup> for parasols up to 21 m <sup>2</sup> in size, $x = 12$ mm, approx. 213 kg	Please fill out: may.ag/SZ272_en.pdf	SZ272	1,489.00
	Base plate with upper anchor tube SZ118 <sup>2] 4]</sup> for parasols exceeding 21 m <sup>2</sup> in size, $x = 15$ mm, approx. 263 kg	Please fill out: may.ag/SZ274_en.pdf	SZ274	1,756.00
	Base plate with placement hinge and upper anchor tube SZ150 <sup>2 5 6 </sup> for parasols up to 21 m² in size, x = 12 mm, approx. 214 kg	Please fill out: may.ag/SZ273_en.pdf	SZ273	1,537.00
	Base plate with placement hinge and upper anchor tube SZ150 <sup>2 5 6 </sup> for parasols exceeding 21 m <sup>2</sup> in size, x = 15 mm, approx. 264 kg	Please fill out: may.ag/SZ275_en.pdf	SZ275	1,802.00
	<ul><li>Flange plate with slot hole</li><li>for orders with SZ273 and SZ275</li><li>as replacement</li></ul>	suitable for SZ273 and SZ275	- 357172	70.80 144.10
	Anti-slip mat 1 set = 4 pieces, fits for SZ272, SZ273, SZ274, SZ275, SZ240, SZ241, SZ242 and SZ243	73 × 73 cm	352789	76.40



Description	Specifications	Art. no.	Price
			£
Anchor tube to be embedded in concrete <sup>2 3 4 </sup> 2-part, screw-off upper part		SZ118	242.00
Anchor tube to be embedded in concrete identical with SZ118	stainless steel (1.4571)	352453	472.00
<b>Drainage unit</b> for SZ118		357488	25.20
Anchor tube to be embedded in concrete with placement hinge 1) 2) 3) 5) 6) 2-part, screw-off upper part		SZ150	392.00
Anchor tube to be embedded in concrete with placement hinge identical with SZ150	stainless steel (1.4571)	356215	623.00
Cover for SZ150 upper part not possible in combination with padlock	RAL9010, RAL 9006, RAL 8019, RAL 7016	353163	192.00
and bolt	Special colours on inquiry against surcharge, individual lead time		
<b>Drainage unit</b> for SZ150	suitable for DMZ150, RZ118, SZ150, AZ120	357491	25.30
Anchor tube to be embedded in concrete in pre-drilled bore-hole <sup>2] 4]</sup> 2-part, screw-off upper part		SZ146	285.00
Anchor tube with removable upper part (plug-in connection), to be embedded in concrete		SZ169	431.00



	Description	Specifications	Art. no.	Price
				£
	Dowel-anchored plate <sup>2] 4]</sup>		SZ261	268.00
	Dowel-anchored plate with placement hinge 1) 2) 5) 6)		SZ131	359.00
Height	<b>Dowel-anchored plate with upper anchor tube SZ118</b> <sup>2] 4]</sup> customized height to fit patio surface.	State height of lower part: • bottom edge of anchor plate to top edge of flange  Please fill out: may.ag/SZ129_en.pdf	SZ129	578.00
Height	<b>Dowel-anchored plate with placement hinge and upper anchor tube SZ150</b> <sup>1) 2) 5) 6)</sup> customized height to fit patio surface.	State height of lower part: • bottom edge of anchor plate to top edge of flange  Please fill out: may.ag/SZ127_en.pdf	SZ127	729.00
Height	Flat-roof dowel-anchored plate with placement hinge and upper anchor tube SZ150 <sup>11 21 51 61</sup> for connection with liquid plastic; customized height to fit patio surface	State height of lower part:  • bottom edge of anchor plate to top edge of flange  • bottom edge of anchor plate to bottom edge of lower flange  Please fill out: may.ag/SZ186_en.pdf	SZ186	969.00
Height	Flat-roof dowel-anchored plate with placement hinge and upper anchor tube SZ150 <sup>1) 2) 5) 6)</sup> loose-and-fixed flange assembly; customized height to fit patio surface	State height of lower part:  • bottom edge of anchor plate to top edge of flange  • bottom edge of anchor plate to bottom edge of lower flange  Please fill out: may.ag/SZ194_en.pdf	SZ194	1,077.00



	Description	Specifications	Art. no.	Price
				£
	Wall bracket When ordering, please state distance from top of the ground to bottom edge of tube, otherwise parasol mast may have to be shortened.	Installation: • only with heavy-anchor bolts • only on concrete walls	RZ125	164.00
	Customized design in depth, dimension x	Please fill out: may.ag/RZ125_en.pdf		Surcharge + 80.00
•	Wall pressure plate for RZ125 in combination with threaded rods		352579	63.60
11000	Anchor bolts stud bolts with nut, fits for SZ261, SZ131, RZ125, SZ127, SZ129, SZ186 und SZ194	in stainless steel A4, package of 4 pieces	200900	119.50
	<b>Ground screw anchor fixture</b> <sup>2) 4)</sup> upper part only	without ground screw KSF FPM 140×2100-M, to be ordered separately from special retailer	SZ329	271.00
	Ground screw anchor fixture <sup>2] 4]</sup>	including ground screw KSF FPM 140x2100-M	SZ330	629.00
THE STATE OF THE S	Ground screw anchor fixture with placement hinge <sup>2] 5] 6]</sup> upper part only	without ground screw KSF FPM 140x2100-M, to be ordered separately from special retailer	SZ349	418.00
	Ground screw anchor fixture with placement hinge <sup>2] 5] 6]</sup>	including ground screw KSF FPM 140x2100-M	SZ350	777.00



	Description	Specifications	Art. no.	Price
				£
	Base plate with upper anchor tube SZ118 <sup>2] 4]</sup> customized height to fit patio surface, for parasols up to 21 m <sup>2</sup> in size, $x = 12$ mm, approx. 224 kg	State height of lower part:  • bottom edge of base plate to top edge of flange  Please fill out: may.ag/SZ240_en.pdf	SZ240	1,645.00
Height	Base plate with upper anchor tube SZ118 <sup>2] 4]</sup> customized height to fit patio surface, for parasols exceeding 21 m <sup>2</sup> in size, $x = 15$ mm, approx. 274 kg	State height of lower part:  • bottom edge of base plate to top edge of flange  Please fill out: may.ag/SZ242_en.pdf	SZ242	1,911.00
Height Height	Base plate with placement hinge and upper anchor tube SZ150 <sup>1] 2] 5] 6]</sup> customized height to fit patio surface, for parasols up to 21 m² in size, x = 12 mm, approx. 225 kg	State height of lower part:  • bottom edge of base plate to top edge of flange  Please fill out: may.ag/SZ241_en.pdf	SZ241	1,779.00
	Base plate with placement hinge and upper anchor tube SZ150 <sup>1] 2] 5] 6]</sup> customized height to fit patio surface, for parasols exceeding 21 m <sup>2</sup> in size, $x = 15$ mm, approx. 275 kg	State height of lower part:  • bottom edge of base plate to top edge of flange  Please fill out: may.ag/SZ243_en.pdf	SZ243	2,046.00
	Theft pin <sup>7)</sup> padlock and pin for retrofitting.	stainless steel, suitable for centre pole Ø 76 mm	200103	53.50
	Padlock keyed alike	stainless steel, 40 mm wide, shackle Ø 7 mm	350063	22.20
	Pressure protection plate	suitable for all SZ upper parts, not possible in combination with surface clamping 351500	352201	5.73




### **Installation options**

#### **Footnotes**

 $^{1]}$  / Suitable for power supply in centre pole. Bore hole Ø 7 cm for power supply cable.

2)	Description of option extra length	Specifications	Surcharge plus installation option £
SZ118 Upper anchor tube, extra length	Upper anchor tube with extra length	+ 10 cm	103.60
		+ 20 cm	146.70
SZ150 Upper anchor tube, extra length		+ 30 cm	191.00
+ 10 cm		+ 40 cm	236.00





#### **Installation options**

4)	Description of option powder coating	Specifications	Surcharge plus installation option £
SZ118 Upper anchor tube, standard  RAL 9010 RAL 9006 RAL 8019 RAL 7016 9	Upper anchor tube without placement hinge, galvanized with additional powder coating standard and extra length	State colour:  RAL 9010 pure white RAL 9006 white aluminium  RAL 8019 grey brown  RAL 7016	48.00
SZ118 Upper anchor tube, extra length + 10 cm		anthracite grey fine structure	

SZ150 U	pper anchor tub	e, standard		Upper anchor tube with placement hinge, galvanized with additional powder coating	State colour: • RAL 9010 pure white	62.00
RAL 9010	RAL 9006	RAL 8019	RAL 7016 + EU 09	standard and extra length	<ul> <li>RAL 9006 white aluminium</li> <li>RAL 8019 grey brown</li> </ul>	
	pper anchor tub	e, extra length +	10 cm + 50 cm +		• RAL 7016 anthracite grey	
RAL 9010	RAL 9006	RAL 8019	RAL 7016		fine structure	

6



Upper anchor tube with placement hinge, with tilt adjustment (using setscrews) and with surface clamping of the support pole

art. no. **351500** 

86.20

#### Application:

- necessary for eccentric parasols
- In places where the parasol may be exposed to extreme conditions, surface clamping can avoid premature damage to the installation system.
- If the lower anchor tube is not set straight in the concrete, the upper tube can be aligned in vertical position with the help of the tilt adjustment. However, we cannot accept return of the standard upper anchor tube.

Not available in extra length <sup>2]</sup> or powder coated <sup>5]</sup>.

 $<sup>^{7]}</sup>$  Drill and fasten parasol to anchor tube on site, ø 13.5 mm.

_	
Quote	<b>Order</b> side-post parasol <b>SCHATTELLO</b> at Parker Masters Ltd.

By e-mail to: info@parker-masters.co.uk



Customer Customer-No. < <cust>&gt; &lt;<name_1>&gt; &lt;<street>&gt;</street></name_1></cust>		ry to end customer	dispatch notification by phone phone no contact	
			delivery note by e-mail to	
			<pre></pre>	
< <pre>&lt;<post_code>&gt;</post_code></pre>			end customer	
Туре	FILIUS with rope pull FILIUS with crank (FK	_		
Segments number of spokes	4 5	6 8	<u> </u>	
Quantity / Size / Shape	piece(s)	meter round	square rectangular triangul	ar
Frame colour	RAL 9010 pure white standard	RAL 7016 anthracite grey FS special colour w/o surcharge		special colour
Spoke reinforcement	no	all spokes	ALBAIRUS	surcharge
Centre pole extension note ground clearance	no extension	yes, by +20 cm	yes, cm	
Fabric	MayTex-Acryl	MayTex-Poly	MayTex-PVC special	
Fabric colour	no		colour	
Edge binding	matching fabric colou	r	colour and no.	
Valance	without	straight spoke to spoke	continuous special sketch required diagonal spoke	
Screen printing see catalogue "Printing Guidelines"	without	with see "Order form printing"	diagonal sporte	
Electrical equipment	kit		power supply	
	motor not possible in comb	ination with heaters	remote control no.	
Protective sleeve	FILIUS zipper	SCHATTELLO  version husse SA130 (incl.)	ALBATROS  ☐ version zipper AA022 (incl.)	
	+ aluminium rod FA130 (incl.)	version zipper SA022 version zipper SA024 (parasc telescopic pole without ring l telescopic pole with ring (one	for multiple parasols)	multiple parasols)
Installation option	piece(s) article	e no	description	pre-delivery
Anti-theft pin	piece(s) (inclusive with	ALBATROS)		
Accessories			fy colour and colour no., sketch incl. distances), pact protection in MayTex-PVC (specify colour ar	

### Parker Masters

BRINGING BRANDS TO LIFE

in partnership with

